



The G Sub 1201 is a particularly flat high-performance 12" subwoofer. With its large footprint it can accommodate GL- and other HiMid systems using speaker poles without toppling over. Easy handling, an exclusive and modern design and its deep bass reproduction make it a perfect choice for demanding applications.

## PRODUCT SPECIFICATIONS


<b>Speaker Components</b>	12" Nd
<b>Description</b>	Passive Bass Extension
<b>Power</b> AES / Peak	500 W / 1500 W
<b>Impedance</b> nominal	8 Ω
<b>SPL</b> 1 W / Peak @ 1 m	99 dB / 131 dB
<b>Usable Range</b> -6 dB	40 Hz - 220 Hz
<b>Tuning Frequency</b> excursion minimum	47 Hz
<b>Connectors</b>	2 x Neutrik Speakon NL4MP in/out Coding: 1+/- loop thru, 2+/- Sub Incl. Switcher for active / passive operation
<b>Handles</b>	2 x
<b>Rigging / Fittings</b>	M20 on top
<b>Weight</b>	17,5 kg
<b>Size</b> height x width x depth	33,0 x 48,5 x 48,5 cm
<b>Order No.</b>	<b>00610</b>



Rubber Surround for large excursion.




Connection panel.



Comfortable handles for easy transport.

## DIMENSIONS




Controller Setups finden Sie unter:


<http://www.seeburg.net/downloads.php>

## MEASUREMENTS

### Frequency Response with Presets



### Sensitivity 1 W @ 1 m + Impedance



## APPLICATIONS




G Sub 1201 / GL 16i



G Sub 1201 / L 16j



G Sub 1201 / TSM 8



G Sub 1201 dp+ / G Sub 1201 (n.h.)  
Cardiod set-up

## ACCESSORIES G Sub 1201

### Speaker Pole

M20, with wind up, K&M

Order No. **03023**



M20, adjustable, K&M

Order No. **03022**



### Ceiling Mount

for Subwoofer

Order No. **08129**



### Cover

for G Sub 1201, padded

Order No. **01237**



Ceiling mount.